

Venezuela axibiperfect gxxl ts





Venezuela axibiperfect gxxl ts

12V 10AH



AXITEC , AXIbiperfect GXXL TS 570-585 Wp , () ...

AXITEC Energy GmbH & Co. KG AXIbiperfect
GXXL TS 570-585 Wp ?,?PDF

AXIbiperfect GXXL TS , Axitecsolar

AXIbiperfect GXXL TS. 144-zelliges N-Type
TOPCon bifacial Glas/Glas Solarmodul. Siguiete.
Potencia nominal. 570 Wp - 585 Wp. Estructura.
Lado frontal cristal blanco de 2,0 mm de baja
reflexión Lado posterior cristal de 2,0 mm,
espacios de celda transparentes



AXIbiperfect GXXL TS , Axitecsolar

AXIbiperfect GXXL TS. 144-zelliges N-Type
TOPCon bifacial Glas/Glas Solarmodul. Siguiete.
Potencia nominal. 570 Wp - 585 Wp. Estructura.
Lado frontal cristal blanco de 2,0 mm de baja
reflexión Lado posterior cristal de 2,0 ...

AXIbiperfect GXXL TS AC-580TGB/144TS , Pannelli fotovoltaici

AXIbiperfect GXXL TS AC-580TGB/144TS Modulo
TOPCon bifacciale, backsheet trasparente
Richiedi prezzo Descrizione del prodotto Dettagli



tecnic Download Link collegati Informazioni prodotto Vantaggi del prodotto: - Celle solari ad alte prestazioni - Fino al 30% di rendimento in più grazie alla tecnologia bifacciale



AXIbiperfect GXXL TS , Axitecsolar

AXIbiperfect GXXL TS. 144-zelliges N-Type TOPCon bifacial Glas/Glas Solarmodul. Next. Leistungsdaten. 570 Wp - 585 Wp. Aufbau. Vorderseite: 2,0 mm reflexarmes Weißglas Rückseite: 2,0 mm Glas, Zellzwischenräume transparent Zellen: 144 N-Type TOPCon bifacial Hochleistungszellen

biperfect GXXL TS AX

AXIbiperfect GXXL TS The advantages: Increased safety through improved fire protection + 30% Wp less PID Guaranteed positive power tolerance from 0-5 Wp by individual measurement PID reduced through glass/glass-Technology Up to 30 % more power output by Bifacial-Technology Safe More performance through innovative TOP N-Type TOPCon-Technology



AXIbiperfect GXXL TS , Axitecsolar

AXIbiperfect GXXL TS. 144-zelliges N-Type TOPCon bifacial Glas/Glas Solarmodul. Next. Leistungsdaten. 570 Wp - 585 Wp. Aufbau. Vorderseite: 2,0 mm reflexarmes Weißglas ...



biperfect GXXL TS

AXIbiperfect GXXL TS 570 - 585 Wp Electrical data at standard conditions (STC): irradiance 1000 W/m². spectrum AM 1.5 at a cell temperature of 25°C Type AC-570TGB/144TS AC-575TGB/144TS AC-580TGB/144TS AC-585TGB/144TS Nominal output 570 Wp 575 Wp 580 Wp 585 Wp Nominal voltage U_{mp} 43.52 V 43.73 V 43.94 V 44.16 V



AXIbiperfect GXXL TS AC-580TGB/144TS , Pannelli fotovoltaici

AXIbiperfect GXXL TS AC-580TGB/144TS Modulo TOPCon bifacciale, backsheet trasparente
Richiedi prezzo Descrizione del prodotto Dettagli tecnici Download Link collegati Informazioni ...

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.fundacja64.pl>